EVANS DOCK

LEGAL DISCRIPTION

RECORDING NUMBER: 2010110500761

LOT C: TRACT 40 OF PLAT OF JUANITA POINT, A RESIDENCE PARK, RECORDED IN VOLUME 25 OF PLATS, PAGE 27, RECORDS OF KING COUNTY. WASHINGTON:

EXCEPT THAT PORTION DESCRIBES AS FOLLOWS:

BEGINNING AT THE MOST NORTHERLY CORNER THEREOF; THENCE SOUTH 56°37'47" EAST ALONG THE NORTHEASTERLY LINE OF SAID TRACT, 358.00; THENCE SOUTH 37°36'25" WEST 117.84 FEET TO THE SOUTHWESTERLY LINE OF SAID TRACT; THENCE NORTH 48°09'22" WEST ALONG SAID SOUTHWESTERLY LINE, 358.00 FEET TO THE SOUTHEASTERLY MARGIN OF JUANITA DRIVE; THENCE NORTHERLY ALONG SAID MARGIN, ON A CURVE TO THE LEFT, THE CENTER OF WHICH BEARS NORTH 48°09'22" WEST 439.51 FEET, THROUGH A CENTRAL ANGLE OF 08°28'25", AN ARC DISTANCE OF 65.00 FEET TO THE POINT OF BEGINNING.

(ALSO KNOWN AS LOT C OF THE POLIAK TESTAMENTARY SUBDIVISION RECORDED UNDER RECORDING NO. 20071001001233.)



ITEM 9

EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED

RECORDING INFORMATION: 7103120308

IN FAVOR OF: NORTHEAST LAKE WASHINGTON SEWER DISTRICT, A

MUNICIPAL CORPORATION

FOR: SANITARY SEWER

"NOT PLOTTED -- AS CONSTRUCTED"

ITEM 10

EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED

THEREIN:


RECORDING INFORMATION: 8010210561

IN FAVOR OF: NORTHEAST LAKE WASHINGTON SEWER DISTRICT, A

MUNICIPAL CORPORATION

FOR: SANITARY SEWERS

"PLOTTED"



VICINITY MAP

NOT TO SCALE



1/4 SEC: NW-31-26-5 LAT: 47° 41' 52.1880"


LONG: -122° 13' 39.3240"

DECIMAL CONVERSION: LAT: 47.4769783 LONG: -122.22759

SHEET INDEX:

- 1. COVER PAGE, LEGAL DESCRIPTION
- 2. EXISTING SITE PLAN, EXISTING PLAN VIEW
- 3. PROPOSED PLAN VIEW, PROPOSED TOP VIEW, SECTION DETAIL
- 4. PROPOSED ELEVATION,
 PROPOSED FRAMING PLAN,
 CONSTRUCTION DETAILS
- MITIGATION PLAN VIEW, BEACH PLAN VIEW
- 6. BEACH SECTION, BEACH DETAILS

PAGE 1 of 6



KENMORE

JUANITA

LAKE FOREST

PROPOSED: CONSTRUCT A DOCK. REMOVE A PORTION OF THE BULKHEAD AND CREATE A MORE NATURAL BEACH.

PURPOSE: TO CREATE MOORAGE.

 $\underline{\textbf{APPLICANT:}} \ \ \mathsf{EVANS}, \ \mathsf{DALLAS}$

SITE ADD: 8331 JUANITA DR NE KIRKLAND, WA 98034

MAIL ADD. SAME AS ABOVE

ADJACENT PROPERTY OWNERS:

- MCCRACKEN, ANNIE L 8339 JUANITA DR NE KIRKLAND, WA 98034
- 2.) OSBORN, SIMEON J 8321 NE JAUNITA DR KIRKLAND, WA 98034

LOCAL JURISDICTION:
THE CITY OF KIRKLAND



LAKE MAP/NO SCALE

MARINE RESTORATION & CONSTRUCTION LLC

P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 THIS DRAWING IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC AND MAY NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT


PHONE: (425) 576-8661 E-MAIL: INFO@MARINELLC.COM





P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 THIS DRAWNG IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC

PHONE: (425) 576-8661 E-MAIL: INFO@MARINELLC.COM






P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 THIS DRAWING IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC AND MAY NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM






P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 THIS DRAWING IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM






P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 This drawing is property of marine restoration & construction LLC and may not be copied or reproduced without written consent

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM



EVANS BEACH DETAILS

SPECIFICATIONS:

ROCKS: ROCKS WILL BE 2-4 MAN HAND SELECTED ROUND WASHED GRANITE. EXACT LOCATION OF ROCKS IN BEACH TO BE DETERMINED UPON INSTALLATION. APPROXIMATE LOCATION SHOWN.

BEACH MATERIAL: APPROX. 50 CUBIC YARDS TOTAL. MAXIMUM OF 25 CUBIC YARDS OF I " MINUS SPAWNING GRAVEL TO BE PLACED WATERWARD OF THE ORDINARY HIGH WATER MARK, AND UP TO 25 CUBIC YARDS OF I " MINUS SPAWNING GRAVEL IS TO BE PLACED IN FRONT OF EXISTING BULKHEAD ABOVE THE ORDINARY HIGH WATER MARK.


SILT PREVENTION. A SILT CURTAIN WILL BE PLACED IN THE WORK AREA ON WATER SIDE OF THE EXISTING BULKHEAD THE ENTIRE TIME TH BEACH IS BEING CONSTRUCTED AND DURING PLACEMENT OF BEACH GRAVEL AND ROCKS.

BEACH LOGS: QUANTITY APPROX 2-4

UNTREATED CEDAR

18-24" (+/-) DIAMETER APPROX. 4' - 8' LONG

ANCHORING: APPROX. 250 LB BLOCKS OF CONCRETE TO BE BOLTED TO BOTTOM OF LOGS WITH 3/4" GALVANIZED THRU BOLTS. CONCRETE IS BURIED BELOW GRADE.



CONSTRUCTION SEQUENCE

I. MOBILIZE EQUIPMENT TO SITE.

2.ERECT EROSION CONTROL

3.ERECT SITE PROTECTION

4.EXCAVATE BULKHEAD

5.PLACE FITLER FABRIC

6.SET GRANITE ROCKS, LOGS, AND GRAVEL FOR BEACH

7.EXCAVATE AND REMOVE EXISTING BULKHEAD

8.IMPORT AND PLACE GRAVEL

9.FINAL GRADING

IO. PLANT VEGITATION

II. REMOVE SILT CURTAIN AND EROSION CONTROL

PAGE 5 of 6



MARINE RESTORATION & CONSTRUCTION LLC

P.O. BOX 884 Kirkland, WA 98083—0884
FAX: (425) 576—8669 This drawing is property of marine restoration & construction LLC and may not be copied or reproduced without written consent

PHONE: (425) 576-8661 E-MAIL: INFO@MARINELLC.COM

BASIS OF BEARINGS

PER RECORD OF SURVEY BOOK 28/ PAGE 284, THE NORTHEASTERLY LINE OF THRACT 40 BEARS N56°37'47"W BETWEEN FOUND REBAR AND CAPS AND POINTS "A" AND "B".

REFERENCES

- 1. JUANITA POINT, A RESIDENCE PARK, RECORDED IN VOLUME 25 OF PLATS, PAGE 27, RECORDS OF KING COUNTY,
- 2. POLIAK TESTAMENTARY SUBDIVISION, RECORDED UNDER RECORDING NUMBER 20071001001233
- 3. RECORD OF SURVEY, BOOK 28, PAGE 284, RECORDS OF KING COUNTY WASHINGTION


VERTICAL DATUM


UNITED STATES ARMY CORPS OF ENGINEERS VERTICAL DATUM SPECIFIC TO THE LAKE WASHINGTON SHIP CANAL PROJECT

SURVEYOR'S NOTES

- 1. THE TOPOGRAPHIC SURVEY SHOWN HEREON WAS PERFORMED IN OCTOBER OF 2014. THE FIELD DATA WAS COLLECTED AND RECORDED ON MAGNETIC MEDIA THROUGH AN ELECTRONIC THEODOLITE. THE DATA FILE IS ARCHIVED ON DISC OR CD. WRITTEN FIELD NOTES MAY NOT EXIST. CONTOURS ARE SHOWN FOR CONVENIENCE ONLY. DESIGN SHOULD RELY ON
- BURIED UTILITIES SHOWN BASED ON RECORDS FURNISHED BY OTHERS AND VERIFIED WHERE POSSIBLE IN THE FIELD. GEODIMENSIONS ASSUMES NO LIABILITY FOR THE ACCURACY OF THOSE RECORDS OR ACCEPT RESPONSIBILITY FOR UNDERGROUND LINES WHICH ARE NOT MADE PUBLIC RECORD. FOR THE FINAL LOCATION OF EXISTING UTILITIES IN AREAS CRITICAL TO DESIGN CONTACT THE UTILITY OWNER/AGENCY. AS ALWAYS, CALL 1-800-424-5555 BEFORE CONSTRUCTION.
- 3. SUBJECT PROPERTY TAX PARCEL NO. 376050-0242
- 4. SUBJECT PROPERTY AREA PER THIS SURVEY IS 20,163± S.F. 0.4629± ACRES)
- 5. THIS SURVEY WAS PERFORMED WITH REFERENCE TO A TITLE REPORT FROM FIRST AMERICAN TITLE, COMMITMENT NO.: 4209-2240237,
- 6. INSTRUMENTATION FOR THIS SURVEY WAS A TRIMBLE ELECTRONIC DISTANCE MEASURING UNIT. PROCEDURES USED IN THIS SURVEY WERE DIRECT AND REVERSE ANGLES, NO CORRECTION NECESSARY. MEETS STATE STANDARDS SET BY WAC 332-130-090.
- 7. UNDERGROUND UTILITY LOCATIONS ARE ONLY APPROXIMATE. FOR ACCURATE LOCATIONS A UTILITY LOCATING SERVICE MUST BE HIRED TO VERIFY ACTUAL UTILITY LOCATIONS.


LEGEND





WM : WATER METER

TOPOGRAPHIC & BOUNDARY SURVEY



LOT C: TRACT 40 OF PLAT OF JUANITA POINT, A RESIDENCE PARK, RECORDED IN VOLUME 25 OF PLATS, PAGE 27, RECORDS

SW'LY FACE OF CONC

RETAINING WALL~

' NE'LY OF LINE /

WATER SHOT

.∘ELEV=20.05' 02/02/2015 10:46 AM

ORDINARY HIGH WATER MARK

SE'LY EDGE OF ROCKERY

FOUND TACK IN LEAD LS# 12336

10/07/2017 9:50AM

SIDENCE
A DRIVE NE
VASHINGTON

EXCEPT THAT PORTION DESCRIBES AS FOLLOWS:

BEGINNING AT THE MOST NORTHERLY CORNER THEREOF; THENCE SOUTH 56°37'47" EAST ALONG THE NORTHEASTERLY LINE OF SAID TRACT, 358.00; THENCE SOUTH 37°36'25" WEST 117.84 FEET TO THE SOUTHWESTERLY LINE OF SAID TRACT; THENCE NORTH 48°09'22" WEST ALONG SAID SOUTHWESTERLY LINE, 358.00 FEET TO THE SOUTHEASTERLY MARGIN OF JUANITA DRIVE; THENCE NORTHERLY ALONG SAID MARGIN, ON A CURVE TO THE LEFT, THE CENTER OF WHICH BEARS NORTH 48°09'22" WEST 439.51 FEET, THROUGH A CENTRAL ANGLE OF 08°28'25", AN ARC DISTANCE OF 65.00 FEET TO THE POINT OF BEGINNING.

(ALSO KNOWN AS LOT C OF THE POLIAK TESTAMENTARY SUBDIVISION RECORDED UNDER RECORDING NO.

SPECIAL EXCEPTIONS - SCHEDULE B

EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED RECORDING INFORMATION: 7103120308

CORPORATION FOR: SANITARY SEWER

"NOT PLOTTED -- AS CONSTRUCTED" EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED


RECORDING INFORMATION: 8010210561 IN FAVOR OF: NORTHEAST LAKE WASHINGTON SEWER DISTRICT, A MUNICIPAL CORPORATION

FOR: SANITARY SEWERS "PLOTTED"


(IN FEET) 1 inch = 20 ft.


JOB NUMBER: 141282-F 7/9/2015 DRAFTED BY: EJG/SRM CHECKED BY: REVISION HISTORY

> SHEET NUMBER 1 OF 2



EVANS DOCK





VICINITY MAP

NOT TO SCALE



1/4 SEC: NW-31-26-5

LAT: 47° 41' 52.1880" LONG: -122° 13' 39.3240"

DECIMAL CONVERSION:

LAT: 47.4769783

LONG: -122.22759

LEGAL DESCRIPTION:

(PARCEL No. 3760500242)

SEE PAGE 2 FOR LEGAL DESCRIPTION.

SHEET INDEX:

- **COVER PAGE**
- LEGAL DESCRIPTION 2.
- **EXISTING SITE PLAN** 3.
- 4. **EXISTING PLAN VIEW**
- PROPOSED PLAN VIEW 5.
- 6. PROPOSED ELEVATION
- 7. PROPOSED FRAMING PLAN
- PROPOSED TOP VIEW AND SECTION DETAIL
- 9. CONSTRUCTION DETAILS
- 10. MITIGATION PLAN VIEW

- 11. BEACH PLAN VIEW
- 12. BEACH SECTION
- 13. BEACH DETAILS

PAGE 1 of 13

APPLICANT: EVANS, DALLAS

SITE ADD. 8331 JUANITA DR NE

KIRKLAND, WA 98034

MAIL ADD. SAME AS ABOVE

PAGE: 1 OF 13 DATE: 7/21/15

ADJACENT OWNERS:

- MCCRACKEN, ANNIE L 8339 JUANITA DR NE
- OSBORN, SIMEON J 8321 NE JUANITA DR AL JURISDICTION: THE CITY OF KIRKLAND

PROPOSED: CONSTRUCT A DOCK. REMOVE PORTION OF THE BULKHEAD AND CREATE A MORE NATURAL BEACH.

PURPOSE: CREATE MOORAGE

DATUM: C.O.E



MARINE RESTORATION & CONSTRUCTION LLC

P.O. BOX 884 Kirkland, WA 98083-0884

PHONE: (425) 576-8661 E-MAIL: INFO@MARINELLC.COM (425) 576-8669 THIS DRAWING IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC

LEGAL DISCRIPTION

RECORDING NUMBER: 2010110500761

LOT C: TRACT 40 OF PLAT OF JUANITA POINT, A RESIDENCE PARK, RECORDED IN VOLUME 25 OF PLATS, PAGE 27, RECORDS OF KING COUNTY, WASHINGTON;

EXCEPT THAT PORTION DESCRIBES AS FOLLOWS:

BEGINNING AT THE MOST NORTHERLY CORNER THEREOF; THENCE SOUTH 56°37'47" EAST ALONG THE NORTHEASTERLY LINE OF SAID TRACT, 358.00; THENCE SOUTH 37°36'25" WEST 117.84 FEET TO THE SOUTHWESTERLY LINE OF SAID TRACT; THENCE NORTH 48°09'22" WEST ALONG SAID SOUTHWESTERLY LINE, 358.00 FEET TO THE SOUTHEASTERLY MARGIN OF JUANITA DRIVE; THENCE NORTHERLY ALONG SAID MARGIN, ON A CURVE TO THE LEFT, THE CENTER OF WHICH BEARS NORTH 48°09'22" WEST 439.51 FEET, THROUGH A CENTRAL ANGLE OF 08°28'25", AN ARC DISTANCE OF 65.00 FEET TO THE POINT OF BEGINNING.

(ALSO KNOWN AS LOT C OF THE POLIAK TESTAMENTARY SUBDIVISION RECORDED UNDER RECORDING NO. 20071001001233.)

SPECIAL EXCEPTIONS - SCHEDULE B

ITEM 9

EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED THEREIN:

RECORDING INFORMATION: 7103120308

IN FAVOR OF: NORTHEAST LAKE WASHINGTON SEWER DISTRICT, A

MUNICIPAL CORPORATION

FOR: SANITARY SEWER

"NOT PLOTTED -- AS CONSTRUCTED"

ITEM 10

EASEMENT, INCLUDING TERMS AND PROVISIONS CONTAINED

RECORDING INFORMATION: 8010210561

IN FAVOR OF: NORTHEAST LAKE WASHINGTON SEWER DISTRICT, A


MUNICIPAL CORPORATION

FOR: SANITARY SEWERS

"PLOTTED"

PAGE 2 of 13








MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM






MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM

FAX: (425) 576-8669





MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884


PHONE: (425) 576-8661

FAX:

E-MAIL: INFO@MARINELLC.COM

WORK DESCRIPTION:

CONSTRUCT PIER WITH
GALVANIZED STEEL PILES (TEN 8"
PILES AND EIGHT 10" PILES) AND
CAPS, GLULAM SIDES AND
THRU-FLOW GRATED DECKING.
DRIVE TWO 10" MOORING PILES.
REMOVE A PORTION OF THE
EXISTING BULKHEAD AND
CONSTRUCT A MORE NATURAL
BEACH. INSTALL A BOATLIFT.



PROPOSED ELEVATION VIEW

SCALE: 1' = 20'

PAGE 6 of 13




MARINE RESTORATION & CONSTRUCTION LLC

MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM

FAX: (425) 576-8669





MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884


PHONE: (425) 576-8661


FAX:

E-MAIL: INFO@MARINELLC.COM

PROPOSED TOP VIEW

SCALE: 1/2" = 1'-0""





PROPOSED SECTION DETAIL

SCALE: 1/2" = 1'-0"


PAGE 8 of 13




MARINE RESTORATION & CONSTRUCTION LLC


P.O. BOX 884 Kirkland, WA 98083-0884


PHONE: (425) 576–8661 E—MAIL: INFO@MARINELLC.COM FAX: (425) 576–8669 This drawing is property of marine restoration & construction llc and may not be copied or reproduced without written consent



3X6X16 GALVANIZED STEEL SADDLE 1/2" THICK (TYP.)







N.T.S.

CONNECTION DETAIL

NOT TO SCALE

PAGE 9 of 13




MARINE RESTORATION & CONSTRUCTION LLC

MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM

FAX: (425) 576-8669






MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM

FAX: (425) 576-8669 THIS DRAWING IS PROPERTY OF MARINE RESTORATION & CONSTRUCTION LLC AND MAY NOT BE






MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

FAX:

(425) 576-8669

E-MAIL: INFO@MARINELLC.COM



PAGE 12 of 13



MARINE RESTORATION & CONSTRUCTION LLC

MAIL: P.O. BOX 884, Kirkland, WA 98083 - 0884

PHONE: (425) 576-8661

E-MAIL: INFO@MARINELLC.COM

FAX: (425) 576-8669

EVANS BEACH DETAILS

SPECIFICATIONS:

ROCKS: ROCKS WILL BE 2-4 MAN HAND SELECTED ROUND WASHED GRANITE. EXACT LOCATION OF ROCKS IN BEACH TO BE DETERMINED UPON INSTALLATION. APPROXIMATE LOCATION SHOWN.

BEACH MATERIAL: APPROX. 50 CUBIC YARDS TOTAL. MAXIMUM OF 25 CUBIC YARDS OF I" MINUS SPAWNING GRAVEL TO BE PLACED WATERWARD OF THE ORDINARY HIGH WATER MARK, AND UP TO 25 CUBIC YARDS OF I" MINUS SPAWNING GRAVEL IS TO BE PLACED IN FRONT OF EXISTING BULKHEAD ABOVE THE ORDINARY HIGH WATER MARK.

SILT PREVENTION. A SILT CURTAIN WILL BE PLACED IN THE WORK AREA ON WATER SIDE OF THE EXISTING BULKHEAD THE ENTIRE TIME TH BEACH IS BEING CONSTRUCTED AND DURING PLACEMENT OF BEACH GRAVEL AND ROCKS.


BEACH LOGS:

QUANTITY APPROX 2-4

UNTREATED CEDAR

18-24" (+/-) DIAMETER APPROX. 4' - 8' LONG

ANCHORING: APPROX. 250 LB BLOCKS OF CONCRETE TO BE BOLTED TO BOTTOM OF LOGS WITH 3/4" GALVANIZED THRU BOLTS. CONCRETE IS BURIED BELOW GRADE.



CONSTRUCTION SEQUENCE

- I. MOBILIZE EQUIPMENT TO SITE.
- 2.ERECT EROSION CONTROL
- 3.ERECT SITE PROTECTION
- 4.EXCAVATE BULKHEAD
- 5.PLACE FITLER FABRIC
- 6.SET GRANITE ROCKS, LOGS, AND GRAVEL FOR BEACH
- 7.EXCAVATE AND REMOVE EXISTING BULKHEAD
- 8.IMPORT AND PLACE GRAVEL
- 9.FINAL GRADING
- 10. PLANT VEGITATION
- II. REMOVE SILT CURTAIN AND EROSION CONTROL

PAGE 13 of 13

